

UNITED STATES DISTRICT COURT
SOUTHERN DISTRICT OF OHIO

FILED
RICHARD W. NAGEL
CLERK OF COURT

2020 JUL 15 PM 12:16

U.S. DISTRICT COURT
SOUTHERN DIST. OHIO
EAST. DIV. COLUMBUS

In Re:

FURTHER ORDER REGARDING :
COURT OPERATIONS UNDER THE : **GENERAL ORDER 20-20**
ONGOING EXIGENT CIRCUMSTANCES :
CREATED BY COVID-19 :

**Amendment to Court Reconstitution Plan
re Courthouse Entrance Screening**

In General Order 20-17, the Court adopted a Reconstitution Plan for reopening the Courthouses in this District as of June 1, 2020. The Reconstitution Plan was attached to and incorporated in General Order 20-17.

Based on the changed facts of the COVID-19 pandemic known to the Court as of the date of this Order, the Court finds that it will be necessary to continue screening of visitors to the Courthouses for the indefinite future and it is not economically feasible to continue that screening by employing a dedicated independent contractor to perform that screening. Accordingly, the Court has purchased and will install in each Courthouse not later than July 17, 2020, an infrared screening device to measure the temperature of each visitor and will assign the task of asking health screening questions to the Court Security Officers (CSOs) at each location.


Those visitors will continue to be denied admittance by the Court Security Officer if they have a temperature in excess of 100.4°. In addition, the Court directs the CSOs, effective Monday, July 20, 2020, to ask health screening questions to all visitors at each Courthouse and to deny admittance to visitors who do not answer appropriately the health screening questions. The visitors who are denied admittance will be requested to contact by telephone the office, agency, or

chambers to which they sought admittance in order to complete the business they came to transact, or to explore alternatives to entering the Courthouse.

The Reconstitution Plan is hereby amended by striking the following language “The Court has retained an independent contractor to conduct entry screening at each Courthouse” which appears at page 5 of the Reconstitution Plan and inserting in its place “The Court has acquired infrared temperature screening devices and instructed the Court Security Officers to (1) ask appropriate health screening questions of each visitor at each Courthouse, (2) record the number of visitors screened, (3) record the number of visitors denied entry, and (4) report both numbers to the Clerk of Court.”

IT IS SO ORDERED.

DATED: July 15, 2020



**ALGENON L. MARBLEY
CHIEF UNITED STATES DISTRICT JUDGE**